FlexMove

By Columbus McKinnon


PUCK STOP MODULE

- · Pneumatic stop for pacing pucks or packages
- · Two Models:
 - Vertical Blade Stop; used in pairs as an alternating escapement for pacing round or rounded edge rectangular pucks
 - Horizontal Squeeze Stop; used in combination with Vertical Blade Stop for pacing productwithout rounded edges. Product must be able to withstand side squeeze pressure
- Compatible with round or rectangular bottles, containers or pucks
- · UHMW face for non-marking contact surface
- Includes flow controls with push-in air line connection
- Requires photo sensors, pneumatic solenoid valves, wiring and programming
- Rate depends on product size. Contact factory for details

FEATURES & SPECIFICATIONS


- Available on FlexMove Aluminum Conveyors,
 FS (65 mm), FM (85 mm), FC (105 mm),
 FL (150 mm), FU (180 mm), and FV (260 mm)
- Max. single product weight: 2.3 kg (5 lbs)
- Max. product accumulation weight: 13.6 kg (30 lbs)
- Max. conveyor speed: 50 m/min (164 ft/min)
- Produces gap of approximately one product length (example: FM 85 mm)






Vertical stop releases product and horizontal stop squeezes second to pace product

DIMENSIONS





TRANSFORMING CONVEYOR AUTOMATION

Dorner - North & South America

Dorner Mfg. Corp. USA

+1-262-367-7600

Dorner Conveyors Ltd. Canada

+1-289-208-7306

Dorner Latin America, S. de R.L. de C.V.

+52.33.30037400

By Columbus McKinnon

Dorner - Europe

Dorner GmbH-Germany +49 (0) 2461/93767-0

Dorner SARL-France +33 (0)1 84 73 24 27

Dorner - Asia

Dorner (M) Sdn. Bhd. Malaysia +604-626-2948

dornerconveyors.com

© Dorner Mfg. Corp. 2024. All Rights Reserved. 851-954 0924